



Manufacturer's Certificate

The 400 / 475 is primarily a new construction window. Although it could be used in replacement applications, it is only available in standard sizes, not custom or exact sizes. Please check current IRS guidelines for qualifications when seeking tax credits. (ie a standard 3050 has an outside frame dimension of 35 1/2 X 59 1/2)

This Manufacturer Certification Statement is provided to certify that the windows listed below, when installed properly and ordered as noted below, meet the specific energy efficiency in Internal Revenue Code, Section 25C, as it is applied in the American Recovery and Reinvestment Act (ARRA). This document should be retained by the taxpayer as it may be requested from the Internal Revenue Service (IRS) in the event of an audit. It is also recommended that taxpayers retain all product labeling associated with energy usage. This is for 2009 and 2010 Tax Years.

Note: When ordering, specify that the windows ordered must meet the National Fenestration Rating Council (NFRC)

- (i) A U-factor rating of 0.30 or lower and
- (ii) A SHGC value of 0.30 or lower

For a tax credit under Section 25C of the Internal Revenue Code

KRESTMARK 400 SERIES

400/475 SH 5/8" Argon Duralite

270	Col	U-Factor 0.28	SHGC	0.28
366	1/1	U-Factor 0.27	SHGC	0.23
366	Col	U-Factor 0.27	SHGC	0.21
240	1/1	U-Factor 0.28	SHGC	0.21
240	Col	U-Factor 0.28	SHGC	0.20

400/475 PW 5/8" Argon Duralite

366	1Lite	U-Factor 0.25	SHGC	0.25
366	Col	U-Factor 0.25	SHGC	0.23
240	1Lite	U-Factor 0.26	SHGC	0.23
240	Col	U-Factor 0.26	SHGC	0.21

- 1.) The 240 glass has a blue coloration
No Single Vent Slider (SVS) meets codes
- 2.) Windows ordered with breather tubes are not eligible for the tax credit.

Under Penalties of perjury, I declare that I have examined this Statement, and to the best of my knowledge and belief, the facts are true, correct and complete.

William E. Robinson

President
Krestmark Industries L.P.
November 2009